

## SAFETY DATA SHEET FULLGEAR HYP PLUS 85W-140

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	FULLGEAR HYP PLUS 85W-140
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	Automotive Gear oil. For specific application advice see appropriate Technical Data Sheet.
1.3. Details of the supplier of t	the safety data sheet
Supplier	OPET FUCHS MADENİ YAĞ SAN. ve TİC. A.Ş. Atatürk Organize Sanayi Bölgesi 10006 Sok. No:12 35620 Çiğli/İZMİR Tel: +90 232 376 78 38 Fax: +90 232 376 78 39
1.4. Emergency telephone number	
Emergency telephone	UZEM (National Poison Consultancy Center): 114 Emergency Health Service:112
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	tance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
Human health	No specific hazards under normal use conditions. USED ENGINE OILS are more dangerous than new engine oils. Used engine oils may contain hazardous components which have the potential to cause skin cancer. May cause sensitisation or allergic reactions in sensitive individuals.
Environmental	The product is not expected to be hazardous to the environment.
Physicochemical	The product is not classified as flammable,but at a temperature above the flash point is flammable when exposed to flame sources.
2.2. Label elements	
Hazard statements	NC Not Classified
2.3. Other hazards	
SECTION 3: Composition/info	ormation on ingredients

## 3.2. Mixtures

Composition comments	Note L: The product contain special performance additives and base oils which are
	considered to be severely refined and not considered to be carcinogenic. All of the base oils in
	the product have been demonstrated to contain less than 3% (w/w) dimethyl sulfoxide extract
	by the IP 346 test. The components are not hazardous or are below required disclosure limits.

## SECTION 4: First aid measures

4.1. Description of first aid me	asures	
General information	Get medical attention if any discomfort continues. Not expected to give rise to an acute hazard under normal conditions of use.	
Inhalation	Remove affected person from source of contamination and immediately take outside to fresh air. Consult a doctor if any discomfort continues.	
Ingestion	Remove affected person from source of contamination. Get medical attention immediately. Do not induce vomiting unless under the direction of medical personnel.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes. Get medical attention.	
Eye contact	Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Rinse cautiously with water for several minutes.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	No specific symptoms known.	
Ingestion	No specific symptoms known.	
Skin contact	No specific symptoms known.	
Eye contact	No specific symptoms known.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Symptomatic treatment should be applied. In case of excessive inhalation of the product vapor may lead to lung inflammation (chemical pneumonitis). Dermatitis may result from prolonged or repeated exposure.	
Specific treatments	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Use Film-Making Foam Concentrate (A.F.F.F.) to extinguish the burning product. If not available, extinguish with dry chemical powder due to the size of fire. If the product is in pressurized container, cool with water spray jet.	
Unsuitable extinguishing media	During a fire, DO NOT extinguish by applying pressurized water and water jet directly on the burning product. Use water fog to cool down.	
5.2. Special hazards arising fr	5.2. Special hazards arising from the substance or mixture	
Specific hazards	In case of fire, toxic and corrosive gases may be formed. These gases: Carbondioxide,carbon monoxide,sulphur oxides,phosphorus oxides,metal oxides This product is not explosive.	
5.3. Advice for firefighters		

Protective actions during firefighting	In case of fire, shut off flow if it can be done without risk. Stop leak if safe to do so. Move undamaged containers from fire area if it can be done without risk. Prevent the burning product from entering into drainage system to avoid release of the product. To prevent spreading of the product build-up binders or barriers by using non-burning material such as sand. Use air-supplied respirators to protect against gases/fumes in case of fire-fighting.
Special protective equipment for firefighters	Fire-fighting should be done by trained personnel. Special protective full-clothing, air-supplied respirator, gloves and protective goggles should be worn. Dry chemical sand used for fire extinguishing and other fire extinguising equipment should meet the national and international standards.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsIn case of spills, beware of slippery floors and surfaces. Avoid inhalation of vapours and<br/>contact with skin and eyes. Provide adequate ventilation. For personal protection, see Section<br/>8. Do not smoke, use open fire or other sources of ignition. Wear protective gloves and (in<br/>case of splashes) goggles/face shield too.

#### 6.2. Environmental precautions

# **Environmental precautions** Avoid release to the environment. Avoid discharge into drains,water courses or onto the ground. To prevent release,place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to local appropriate regulatory body. Empty container contains product residue which may exhibit hazards of product.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Large Spillages: Stop leak if possible without risk. DO NOT touch spilled material! Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Avoid the spillage or runoff entering drains, sewers or watercourses. Inform authorities if large amounts are involved. Small Spillages: Stop leak if possible without risk. Dam and absorb spillage with sand,sawdust or other absorbent. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of via an authorised person/licensed waste disposal contractor in accordance with local regulations.

## 6.4. Reference to other sections

**Reference to other sections** For handling and storage, see section 7. For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Usage precautions	Provide adequate ventilation. Container must be kept tightly closed when not in use. Protect against direct sunlight. Avoid spilling,skin and eye contact. Avoid eating,dringking and smoking when using the product. Persons susceptible to allergic reactions should not handle this product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautionsStore in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from<br/>freezing and direct sunlight. Store in closed original container at temperatures between 0°C<br/>and 50°C.Storage classNot special storage precautions required.

7.3. Specific end use(s)

Usage description	For containers or container linings, use mild steel or high density polyethylene (HDPE). For containers or container linings, avoid PVC. Polyethylene containers should not be exposed to high temperatures because of possible risk distortion.
SECTION 8: Exposure Control	ols/personal protection
8.1. Control parameters	
Ingredient comments	No exposure limits known for ingredient(s).
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients. Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. Use thin cotton gloves inside the rubber gloves if allergy risk.
Other skin and body protection	Wear steel toe-cap shoes. Wear an apron.
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash hands after contact. Promptly remove non-impervious clothing that becomes contaminated. Contaminated clothing should be placed in a closed container for disposal or decontamination. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. When using do not eat,drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: High-efficiency particulate filter.
Environmental exposure controls	STEL: 10mg/m <sup>3</sup> 15 minutes. Form: Oil mist, mineral TWA: 5mg/m <sup>3</sup> 8 hours. Form: Oil mist, mineral Short-Term Exposure Limit (STEL). The National Institute for Occupational Safety and Health (NIOSH,1992). Time-Weighted Average (TWA). Occupational Safety and Health Administration (OSHA, 29 CFR 1910.1000,Table Z-1).

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

Appearance	Clear Liquid
Colour	Amber.
Odour	Mild, oily.
Flash point	218°C COC (Cleveland open cup).

Bulk density	0,9075 kg/l
Solubility(ies)	Insoluble in water.
Auto-ignition temperature	Not self-ignited
Viscosity	25,2 mm²/s @ 100°C 336,7 mm²/s @ 40°C
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
Comments	Values are typical. These values may be variable within the product specification.
9.2. Other information	
Other information	No information available.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures. Mixing with any other material.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid freezing. Avoid contact with strong oxidising agents. Avoid exposure to high temperatures or direct sunlight. Keep away from moisture.
10.5. Incompatible materials	
Materials to avoid	Strong oxidising agents. Strong acids.
10.6. Hazardous decompositio	n products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Heating may generate the following products: Toxic and corrosive gases or vapours. Thermal decomposition or combustion products may include the following substances: Carbondioxide,carbon monoxide,sulphur oxides,phosphorus oxides,metal oxides.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	No data recorded.
Other health effects	No data available to indicate product or any components are carcinogenic,mutagenic,genotoxic,and chronic health hazards.
Skin corrosion/irritation Skin corrosion/irritation	No specific test data are available.
Serious eye damage/irritation Serious eye damage/irritation	No specific test data are available.
Respiratory sensitisation Respiratory sensitisation	No specific test data are available.

Skin sensitisation	
Skin sensitisation	No specific test data are available.
Carcinogenicity	
Carcinogenicity	No specific test data are available.
Specific target organ toxicity -	
STOT - single exposure	No specific test data are available.
Specific target organ toxicity -	
STOT - repeated exposure	No specific test data are available.
General information	Information given is based on a knowledge of the components and the toxicology of similar products.
Inhalation	Not expexted to cause irriation. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
Ingestion	May cause discomfort if swallowed. The main symptoms are gastrointestinal ailments, including upset stomach.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking. May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	Not expexted to cause eye irriation. Vapors formed from heating may cause eye irriation.
Acute and chronic health hazards	The product contain special performance additives and mineral base oils which are considered to be severely refined and not considered to be carcinogenic. All of the base oils in the product have been demonstrated to contain less than 3% (w/w) dimethyl sulfoxide extract by the IP 346 test. USED ENGINE OILS are more dangerous than new engine oils. Used engine oils may contain hazardous components which have the potential to cause skin cancer.
Route of entry	Inhalation,ingestion,skin,eye contact.
Target organs	Skin,eyes,respiratory system,lungs,gastro-intestinal tract.
SECTION 12: Ecological Infor	mation
Ecotoxicity	The product is not expected to be hazardous to the environment.
<u>12.1. Toxicity</u>	
Toxicity	There is no specific test data available
12.2. Persistence and degrada	
	The product is not readily biodegradable.
12.3. Bioaccumulative potentia	—
Bioaccumulative potential	The product contains potentially bioaccumulating substances.
12.4. Mobility in soil	
Mobility	The product is insoluble in water and will spread on the water surface. It may absorbed by soil and will not be mobile.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessment	There is no specific test data available.

## 12.6. Other adverse effects

Other adverse effects

Bilinen önemli bir etkisi veya kritik bir tehlikesi yoktur.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
General information	Empty packages and wastes produced after the usage of the product should be taken under control according to the current environmental regulations. Unless otherwise noted all wastes should be evaluated as hazardous waste.
Disposal methods	Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
Waste class	13 02 06*Synthetic engine, gear and lubricating oils 13 02 08*other engine, gear and lubricating oils

## **SECTION 14: Transport information**

## General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

## 14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislationRegulation (EC) No 1907/2006 of the European Parliament and of the Council of 18<br/>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of<br/>Chemicals (REACH) (as amended).<br/>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16<br/>December 2008 on classification, labelling and packaging of substances and mixtures (as<br/>amended).<br/>Observe the general safety regulations when handling chemicals.The product is not subject to<br/>identification regulations under EC Directives until 2004/73/EC (31. ATP) andthe Ordinance<br/>on Hazardous Materials. The concentrations of the dangerous compounds, which are<br/>possiblyspecified under point 3, are not above the value for classification. Local regulations<br/>must be kept.

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
General information	All ingredients are listed in the European Inventories. However, they shall not constitute aguarantee for any specific product features and shall not establish a legally validcontractual relationship. This data sheet is a safety data sheet according to 91/155/EU. For products which are not subject to classification according to EU lists this data sheet is made on a voluntary base.
Key literature references and sources for data	December 13, 2014, No. 29204, "the Ministry of Environment and the Ministry of Urban Development Related to Safety Data Sheets on Hazardous Substances and Mixtures Direction"
Revision comments	It has been revised according to the 1272/2008 CLP regulation.
Issued by	EBRU SEN R&D Engineer Certificated by NBC for MSDS (Certificate No: 01.42.06) Opet Fuchs Madeni Yağ San. Tic. A.Ş. AOSB Mustafa Kemal Bulvarı No:12 35620 Çiğli/İZMİR E-mail: ebru.sen@opetfuchs.com.tr
Revision date	11/09/2017
Revision	2
Supersedes date	13/06/2013
SDS number	OPET.GBF.9011

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information contained in this data sheet. OPET FUCHS MADENI YAG SAN. VE TIC. A.Ş. shall not be responsible for any injury or damage resulting from the abnormal use of the product, recipient assumes all such risks.