

SAFETY DATA SHEET OPTIMA 150

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	OPTIMA 150
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	CLOSED SYSTEM GEAR OIL Please look at the Technical Data Sheet of the product for further information.
1.3. Details of the supplier of t	the safety data sheet
Supplier	OPET FUCHS MADENİ YAĞ SAN. ve TİC. A.Ş. Atatürk Organize Sanayi Bölgesi 10006 Sok. No:12 35620 Çiğli/İZMİR Tel: +90 232 376 78 38 Fax: +90 232 376 78 39
1.4. Emergency telephone number	
Emergency telephone	+90 232 376 78 38 UZEM (National Poison Consultancy Center): 114 Emergency Health Service:112
SECTION 2: Hazards identification	
2.1. Classification of the subst	tance or mixture
Classification (EC 1272/2008)	<u>)</u>
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
Human health	No specific hazards under normal use conditions. USED ENGINE OILS are more dangerous than new engine oils. Used engine oils may contain hazardous components which have the potential to cause skin cancer.
Environmental	The product is not expected to be hazardous to the environment.
Physicochemical	The product is not classified as flammable,but at a temperature above the flash point is flammable when exposed to flame sources.
2.2. Label elements	
Hazard statements	NC Not Classified
2.3. Other hazards	

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.

SECTION 3: Composition/information on ingredients 3.2. Mixtures Composition comments Note L: The product contain special performance additives and base oils which are considered to be severely refined and not considered to be carcinogenic. All of the base oils in the product have been demonstrated to contain less than 3% (w/w) dimethyl sulfoxide extract by the IP 346 test. The components are not hazardous or are below required disclosure limits. SECTION 4: First aid measures 4.1. Description of first aid measures General information Change clothes and shoes contaminated or soaked by product. Never put rags contaminated by product into cloth-pockets. Get medical attention if any discomfort continues. Not expected to give rise to an acute hazard under normal conditions of use. Inhalation Remove affected person from source of contamination and immediately take outside to fresh air. Consult a doctor if any discomfort continues. Ingestion IF SWALLOWED: Rinse mouth thoroughly with water. Get medical attention immediately. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Show this Safety Data Sheet to the medical personnel. Skin contact Remove affected person from source of contamination. Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes. Brush off loose particles from skin. If adhesive bonding occurs, do not force skin apart. Get medical attention. Eye contact Do not rub eye. Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Protection of first aiders Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. 4.2. Most important symptoms and effects, both acute and delayed Inhalation No specific symptoms known. Ingestion No specific symptoms known. Skin contact No specific symptoms known. Eye contact No specific symptoms known. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Use Film-Making Foam Concentrate (A.F.F.F.) to extinguish the burning product. If not available, extinguish with dry chemical powder due to the size of fire. If the product is in pressurized container, cool with water spray jet. Unsuitable extinguishing During a fire, DO NOT extinguish by applying pressurized water and water jet directly on the media burning product. Use water fog to cool down. 5.2. Special hazards arising from the substance or mixture

Specific hazards	This product is not explosive. Do not heat up near flash point.
Hazardous combustion products	In case of fire toxic and corrosive gases may form. These gases: Carbon dioxide, carbon monoxide, sulphur oxides, phosporus oxides, metal oxides
5.3. Advice for firefighters	
Protective actions during firefighting	In case of fire, shut off flow if it can be done without risk. Stop leak if safe to do so. Move undamaged containers from fire area if it can be done without risk. Prevent the burning product from entering into drainage system to avoid release of the product. To prevent spreading of the product build-up binders or barriers by using non-burning material such as sand. Use air-supplied respirators to protect against gases/fumes in case of fire-fighting.
Special protective equipment for firefighters	Fire-fighting should be done by trained personnel. Special protective full-clothing, air-supplied respirator, gloves and protective goggles should be worn. Dry chemical sand used for fire extinguishing and other fire extinguising equipment should meet the national and international standards.
SECTION 6: Accidental release measures	

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	In case of spills, beware of slippery floors and surfaces. Avoid inhalation of vapours and
	contact with skin and eyes. Provide adequate ventilation. For personal protection, see Section
	8. Do not smoke, use open fire or other sources of ignition. Wear protective gloves and (in
	case of splashes) goggles/face shield too.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment. Avoid discharge into drains,water courses or onto the ground. To prevent release,place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to local appropriate regulatory body. Empty container contains product residue which may exhibit hazards of product.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Large Spillages: Stop leak if possible without risk. DO NOT touch spilled material! Collect and
	place in suitable waste disposal containers and seal securely. For waste disposal, see Section
	13. Avoid the spillage or runoff entering drains, sewers or watercourses. Inform authorities if
	large amounts are involved. Small Spillages: Stop leak if possible without risk. Dam and
	absorb spillage with sand, sawdust or other absorbent. Absorb in vermiculite, dry sand or earth
	and place into containers. Dispose of via an authorised person/licensed waste disposal
	contractor in accordance with local regulations.

6.4. Reference to other sections

Reference to other sectionsFor handling and storage, see section 7. For personal protection, see Section 8. See Section11 for additional information on health hazards. See Section 12 for additional information on
ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Provide adequate ventilation. Container must be kept tightly closed when not in use. Protect against direct sunlight. Do not heat up the product near flash point. Avoid spilling,skin and eye contact. Avoid eating,dringking and smoking when using the product. Persons susceptible to allergic reactions should not handle this product.
Advice on general occupational hygiene	Wash after use and before eating, smoking and using the toilet. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in a demarcated bunded area to prevent release to drains and/or watercourses. Store in accordance with local regulations. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from freezing and direct sunlight. Store in closed original container at temperatures between 0°C and 50°C. Keep away from food, drink and animal feeding stuffs.
Storage class	Not special storage precautions required.
7.3. Specific end use(s)	
Usage description	For containers or container linings, use mild steel or high density polyethylene (HDPE). For containers or container linings, avoid PVC. Polyethylene containers should not be exposed to high temperatures because of possible risk distortion.
SECTION 8: Exposure Controls/personal protection	
8.1. Control parameters	
Ingredient comments	No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment



Appropriate engineering

controls wear suitable respiratory equipment. Observe any occupational exposure limits for the product or ingredients.
 Personal protection In case of splashing or scattering, wear protective oil-resistant or chemical-resistant clothing.
 Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
 Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

Chemical-resistant, impervious gloves complying with an approved standard should be worn it a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. Use thin cotton gloves inside the rubber gloves if allergy risk. The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer. As the product is a pereparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Provide adequate ventilation. Avoid inhalation of vapours. In case of insufficient ventilation,

Other skin and bodyUse skin protection cream for preventive skin protection. Appropriate footwear and additional
protectionprotectionprotective clothing complying with an approved standard should be worn if a risk assessment
indicates skin contamination is possible.

 Hygiene measures
 Provide eyewash station. Do not smoke in work area. Wash hands after contact. Promptly remove non-impervious clothing that becomes contaminated. Contaminated clothing should be placed in a closed container for disposal or decontamination. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. When using do not eat,drink or smoke.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: High-efficiency particulate filter.

Thermal hazards Contact with hot product can cause serious thermal burns. If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.

Environmental exposure No data available. controls

9.1. Information on basic physical and chemical properties		
Appearance	Yellow clear liquid	
Colour	Yellow.	
Odour	Typical	
Odour threshold	Not known.	
Melting point	Not determined.	
Initial boiling point and range	Not determined.	
Flash point	260°C	
Evaporation rate	Not determined.	
Flammability (solid, gas)	No information available.	
Upper/lower flammability or explosive limits	No information available.	
Relative density	0,890 kg/L @ 15°C	
Solubility(ies)	Not soluble in water	
Partition coefficient	Not known.	
Auto-ignition temperature	Not self-ignited	
Viscosity	150 mm²/s @ 40°C	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
Comments	Values are typical. These values may be variable within the product specification.	
9.2. Other information		
Other information	No information required.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures. Mixing with any other material.	
10.3. Possibility of hazardous	10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid freezing. Avoid contact with strong oxidising agents. Avoid exposure to high temperatures or direct sunlight. Keep away from moisture.	
10.5. Incompatible materials		

Materials to avoid	Strong oxidising agents. Strong acids.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	No data recorded.
Other health effects	No data available to indicate product or any components are carcinogenic,mutagenic,genotoxic,and chronic health hazards.
Skin corrosion/irritation Skin corrosion/irritation	Mevcut özel test verisi yoktur.
Serious eye damage/irritation Serious eye damage/irritation	No specific test data are available.
Respiratory sensitisation Respiratory sensitisation	No specific test data are available.
Skin sensitisation Skin sensitisation	No specific test data are available.
Germ cell mutagenicity Genotoxicity - in vitro	No specific test data are available.
Carcinogenicity Carcinogenicity	No specific test data are available.
Reproductive toxicity Reproductive toxicity - fertility	No specific test data are available.
Reproductive toxicity - development	Mevcut özel test verisi yoktur.
Specific target organ toxicity -	single exposure
STOT - single exposure	No specific test data are available.
Specific target organ toxicity -	
STOT - repeated exposure	No specific test data are available.
Aspiration hazard Aspiration hazard	No specific test data are available
General information	Information given is based on a knowledge of the components and the toxicology of similar products.
Inhalation	Not expexted to cause irriation. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
Ingestion	May cause discomfort if swallowed. The main symptoms are gastrointestinal ailments, including upset stomach.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact	Not expexted to cause eye irriation. Vapors formed from heating may cause eye irriation.
Acute and chronic health hazards	The product contain special performance additives and mineral base oils which are considered to be severely refined and not considered to be carcinogenic. All of the base oils in the product have been demonstrated to contain less than 3% (w/w) dimethyl sulfoxide extract by the IP 346 test. USED OILS are more dangerous than new oils. Used oils may contain hazardous components which have the potential to cause skin cancer.
Route of entry	Inhalation,ingestion,skin,eye contact.
Target organs	Skin,eyes,respiratory system,lungs,gastro-intestinal tract.
SECTION 12: Ecological Info	mation
Ecotoxicity	No negative effects on the aquatic environment are known.
12.1. Toxicity	
Toxicity	There is no specific test data available
12.2. Persistence and degrad	ability
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potenti	al
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not known.
12.4. Mobility in soil	
Mobility	The product is insoluble in water and will spread on the water surface. It may absorbed by soil and will not be mobile.
12.5. Results of PBT and vPv	B assessment
Results of PBT and vPvB assessment	There is no specific test data available.
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	ds
General information	Empty packages and wastes produced after the usage of the product should be taken under control according to the current environmental regulations. Unless otherwise noted all wastes should be evaluated as hazardous waste.
Disposal methods	Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
Waste class	Avrupa Atık Sınıfı:13.02.05*: Klor içermeyen mineral bazlı motor, dişli ve yağlama yağı
SECTION 14: Transport information	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Observe the general safety regulations when handling chemicals. The product is not subject to identification regulations under EC Directives until 2004/73/EC (31. ATP) and the Ordinance on Hazardous Materials. The concentrations of the dangerous compounds, which are possibly specified under point 3, are not above the value for classification. Local regulations must be kept.
	must be kept.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	All ingredients are listed in the European Inventories. However, they shall not constitute aguarantee for any specific product features and shall not establish a legally validcontractual relationship. This data sheet is a safety data sheet according to 91/155/EU. For products which are not subject to classification according to EU lists this data sheet is made on a voluntary base.
Key literature references and sources for data	December 13, 2014, No. 29204, "the Ministry of Environment and the Ministry of Urban Development Related to Safety Data Sheets on Hazardous Substances and Mixtures Direction"
Revision comments	It has been revised according to the 1272/2008 CLP regulation.
Issued by	EBRU SEN R&D Engineer Certificated by NBC for MSDS (Certificate No: 01.42.06) Opet Fuchs Madeni Yağ San. Tic. A.Ş. AOSB 10006 Sok. No:12 35620 Çiğli/İZMİR E-mail: ebru.sen@opetfuchs.com.tr
Revision date	21/08/2017

Revision3Supersedes date06/12/2010SDS numberOPET.GBF.1502

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information contained in this data sheet. OPET FUCHS MADENI YAG SAN. VE TIC. A.Ş. shall not be responsible for any injury or damage resulting from the abnormal use of the product, recipient assumes all such risks.