

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 10/17/2011 Revision date: 7/29/2019 Version: 5.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product form : Mixture Trade name : FULLPRO HT MSPS 10W-30 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Intended for general public Use of the substance/mixture : Synthetic engine, gear and lubricating oils 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet OPET FUCHS MADENI YAĞ SAN. ve TİC. A.Ş. Atatürk Mahallesi İnönü Bulvarı No:52/19, TR 35800 Aliiağa İzmir - Türkiye T +90 232 376 78 38 - F +90 232 376 78 39 ehs@opetfuchs.com.tr - www.opetfuchs.com.tr E-mail address of competent person responsible for the SDS : caner.demirtas@opetfuchs.com.tr

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|---|---------|------------------|---------|
| Turkey | Acil İlk Yardım Merkezi (Emergency First Aid Center) | | 112 | |
| Turkey | İtfaiye (Fire Department) | | 110 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| Classification according to Regulation (EC) No. 1272/2008 [CLP] | | |
|---|------|--|
| Serious eye damage/eye irritation, Category 2 | H319 | |
| Hazardous to the aquatic environment — Chronic Hazard, Category 3 | H412 | |
| Full text of H statements : see section 16 | | |

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP) Hazard statements (CLP) GHS07

: H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Precautionary statements (CLP) | : P101 - If medical advice is needed, have product container or label at hand. |
|--------------------------------|--|
| | P102 - Keep out of reach of children. |
| | P264 - Wash hands, forearms and face thoroughly after handling. |
| | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing. |
| | P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| EUH-statements | : EUH208 - Contains Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts, Benzene, polypropene derivatives, sulfonated, calcium salts. May produce an allergic reaction. |
| 2.3. Other hazards | |

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|------------|--|
| Distillates (petroleum), hydrotreated heavy paraffinic | (CAS-No.) 64742-54-7 (EC-No.) 265-157-1 | >=50 - <80 | Asp. Tox. 1, H304 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | (CAS-No.) 72623-87-1 (EC-No.) 276-738-4 | >=10 - <30 | Asp. Tox. 1, H304 |
| bis(nonylphenyl)amine | (CAS-No.) 36878-20-3 (EC-No.) 253-249-4 | >=1 - <10 | Aquatic Chronic 4, H413 |
| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts | (CAS-No.) 84605-29-8 (EC-No.) 283-392-8 | >=1 - <10 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts | (EC-No.) 947-519-7 | < 1 | Skin Sens. 1B, H317 |
| Benzene, polypropene derivatives, sulfonated, calcium salts | | < 1 | Skin Sens. 1B, H317 |
| p-dodecylphenol, branched | (CAS-No.) 121158-58-5 (EC-No.) 310-154-3 | < 1 | Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360F Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |

Full text of H-statements: see section 16

SECTION 4: First aid measures

| 4.1. Description of first aid measures | |
|--|---|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

: Eye irritation.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| SECTION 5: Firefighting measures | | | |
|--|--|--|--|
| 5.1. Extinguishing media | | | |
| Suitable extinguishing media | : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry powder. Foam. Carbon dioxide. | | |
| Unsuitable extinguishing media | : Strong water jet. | | |
| 5.2. Special hazards arising from the substance or mixture | | | |
| Reactivity in case of fire | : At high temperature may liberate dangerous gases. | | |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. | | |
| 5.3. Advice for firefighters | | | |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. | | |

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures General measures : Eliminate every possible source of ignition. Access forbidden to unauthorised personnel. Use

| | protective clothing. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters. Use care in walking on spilled material. Do not inhale vapour. |
|------------------------------------|---|
| 6.1.1. For non-emergency personnel | |
| Protective equipment | : Wear recommended personal protective equipment. Dust formation: dust mask. Wear suitable protective clothing, gloves and eye or face protection. |
| Emergency procedures | : Ventilate spillage area. Do not touch or walk on the spilled product. Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Avoid contact with skin and eyes. |
| Measures in case of dust release | : In case of dust production: protective goggles. Dust mask. In case of vapour formation use adequate respirator. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Wear suitable protective clothing, gloves and eye/face protection. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Avoid contact with skin and eyes. Do not touch spilled material. Evacuate unnecessary personnel. Keep away from combustible material. Keep public away from danger area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Ventilate area. Stop leak if safe to do so. |
| | |

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses. Do not discharge into drains or waterways without neutralizing.

| 6.3. Methods and material for containment and cleaning up | | |
|---|---|--|
| For containment | : Comply with the safety intructions. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. | |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Clean up any spills as soon as possible, using an absorbent material to collect it. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Sweep or shovel spills into appropriate container for disposal. Minimise generation of dust. | |
| Other information | : Dispose of contaminated materials in accordance with current regulations. Dispose of materials or solid residues at an authorized site. | |

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Additional hazards when processed | : Use adequate ventilation to keep vapour concentrations below applicable standard. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. |
|---|---|
| Precautions for safe handling | : Ensure good ventilation of the work station. Avoid dust formation. Avoid prolonged and repeated contact with skin. Contaminated work clothing should not be allowed out of the workplace. Do not spray on an open flame or other ignition source. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Keep valves and fittings free from oil and grease. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Take precautionary measures against static discharge. Avoid contact with skin and eyes. Wear personal protective equipment. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including | g any incompatibilities |
| Technical measures | : Comply with applicable regulations. Containers which are opened should be properly resealed and kept upright to prevent leakage. Ensure adequate ventilation, especially in confined areas. |
| Storage conditions | : Store in a well-ventilated place. Keep cool. |
| Incompatible materials | : Extremely high or low temperatures. |
| | |

| · Do not smoke | . KEEP SUBSTANCE A | WAY FROM · ignition | sources heat source | es |
|----------------|--------------------|---------------------|---------------------|----|
| . Do not smoke | | | Jources, near Jourc | |

- : Keep away from food, drink and animal feeding stuffs.
- : Avoid: Extremely high or low temperatures. Heat and ignition sources.

7.3. Specific end use(s)

Storage area

Heat and ignition sources

Information on mixed storage

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Avoid contact with skin, eyes and clothing. Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. Consider work permit system e.g. for maintenance activities. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. In the event that dust and/or fine particles are generated with this product, it is prudent to minimize prolonged inhalation exposure to these forms not to exceed the occupational exposure limit. Measure concentrations regularly, and at the time of any change occuring in conditions likely to have consequences on workers exposure. Ensure good ventilation of the work station.

Hand protection:

Protective gloves. EN 374. Nitrile rubber gloves

Eye protection:

Safety glasses. EN 166. Where excessive dust may result, wear goggles. Safety glasses

Skin and body protection:

Wear suitable protective clothing. In case of dust production: dustproof clothing. In case of dust production: head/neck protection. Where contact with eyes or skin is likely, wear suitable protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Dust production: dust mask with filter type P1. Where excessive vapour may result, wear approved mask

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Do not eat, drink or smoke during use. Always wash hands after handling the product. Avoid contact with skin and eyes. Avoid contact during pregnancy/while nursing.

Other information:

Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Liquid |
|--|----------------------|
| Appearance | : clear. |
| Colour | : amber. |
| Odour | : Oily. |
| Odour threshold | : No data available |
| рН | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : 231 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 0.869 kg/l @ 15 C |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : 78.07 mm²/s @ 40 C |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |
| 0.2 Other information | |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| SECTION 11: Toxicological information | | |
|--|------------------|--|
| 11.1. Information on toxicological effects | | |
| Acute toxicity (oral) | : Not classified | |
| Acute toxicity (dermal) | : Not classified | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Acute toxicity (inhalation) | : Not classified | |
|-----------------------------------|----------------------------------|--|
| Skin corrosion/irritation | : Not classified | |
| Serious eye damage/irritation | : Causes serious eye irritation. | |
| Respiratory or skin sensitisation | : Not classified | |
| Germ cell mutagenicity | : Not classified | |
| Carcinogenicity | : Not classified | |
| Reproductive toxicity | : Not classified | |
| STOT-single exposure | : Not classified | |
| STOT-repeated exposure | : Not classified | |
| Aspiration hazard | : Not classified | |
| FULLPRO HT MSPS 10W-30 | | |
| Viscosity, kinematic | 78.07 mm²/s @ 40 C | |
| | | |

SECTION 12: Ecological information

| 12.1. Toxicity | |
|--|--|
| Ecology - general | : Harmful to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects. |
| 12.2. Persistence and degradability | |
| No additional information available | |
| 12.3. Bioaccumulative potential | |
| No additional information available | |
| 12.4. Mobility in soil | |
| No additional information available | |
| 12.5. Results of PBT and vPvB assessment | |
| No additional information available | |
| 12.6. Other adverse effects | |
| No additional information available | |

| SECTION 13: Disposal consideratio | ns |
|-----------------------------------|--|
| 13.1. Waste treatment methods | |
| Regional legislation (waste) | : Regulation on Incineration of Waste Materials published in the Official Journal numbered 27721 on October 6, 2010. Waste Management Regulation published in the Official Journal numbered 29314 on April 2, 2015. Disposal must be done according to official regulations. |
| Waste treatment methods | : Do not remove as household garbage. Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Additional information | : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. |
| European List of Waste (LoW) code | : 13 02 08* - other engine, gear and lubricating oils |

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | ΙΑΤΑ | ADN | RID |
|--------------------------|---------------|---------------|---------------|---------------|
| 14.1. UN number | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 7/20/2010 (Marcian: E 1) | | EN (English) | | 6/9 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 14.2. UN proper shipping name | | | | |
|--|---------------|---------------|---------------|---------------|
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

| The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006: | | |
|--|--|--|
| Reference code | Applicable on Entry title or description | |
| 30. | p-dodecylphenol, branched | Substances which are classified as reproductive toxicant category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 5 or Appendix 6, respectively. |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

| • | |
|---|--|
| Reference to AwSV | : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex 1) |
| 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV | : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) |
| Netherlands | |
| ABM category | : Z(1) - non biodegradable substances with hazardous properties for humans and the environment (carcinogenicity/ mutagenicity/ reprotoxicity/bioacumulative potential/ toxicity or persistence) |
| SZW-lijst van kankerverwekkende stoffen | : Distillates (petroleum), hydrotreated heavy paraffinic, Phosphorodithioic acid, mixed O,O-bis(1,3- dimethylbutyl and iso-Pr) esters, zinc salts, p-dodecylphenol, branched are listed |
| SZW-lijst van mutagene stoffen | : Distillates (petroleum), hydrotreated heavy paraffinic,Phosphorodithioic acid, mixed O,O-bis(1,3- dimethylbutyl and iso-Pr) esters, zinc salts,p-dodecylphenol, branched are listed |
| | |

Safety Data Sheet

| according to Regulation (EC) No. 1907/2006 (REACH) with its am | endment Regulation (EU) 2015/830 |
|---|--|
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding | : None of the components are listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid | : None of the components are listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling | : p-dodecylphenol, branched is listed |
| Denmark | |
| Danish National Regulations | : Pregnant/breastfeeding women working with the product must not be in direct contact with the product |

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronym | s: |
|---------------------------|--|
| vPvB | Very Persistent and Very Bioaccumulative |
| TLM | Median Tolerance Limit |
| STP | Sewage treatment plant |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| PNEC | Predicted No-Effect Concentration |
| PBT | Persistent Bioaccumulative Toxic |
| OECD | Organisation for Economic Co-operation and Development |
| NOEC | No-Observed Effect Concentration |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| SDS | Safety Data Sheet |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| LOAEL | Lowest Observed Adverse Effect Level |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| DPD | Dangerous Preparations Directive 1999/45/EC |
| DSD | Dangerous Substances Directive 67/548/EEC |
| EC50 | Median effective concentration |
| IARC | International Agency for Research on Cancer |
| ΙΑΤΑ | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| Data sources | : Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. REGULATION (EC) No 1272/2008 OF THE ELIROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of |

Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. ECHA (European Chemicals Agency). Supplier's safety documents.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Aquatic Chronic 4 | Hazardous to the aquatic environment — Chronic Hazard, Category 4 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Repr. 1B | Reproductive toxicity, Category 1B |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| Н319 | Causes serious eye irritation. |
| H360F | May damage fertility. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| EUH208 | Contains Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts, Benzene, polypropene derivatives, sulfonated, calcium salts. May produce an allergic reaction. |

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable

Other information