

Fulllife LPG 5W-30

Optimum Lubrication for LPG Vehicles

PRODUCT DESCRIPTION

Fulllife LPG 5W-30, is a synthetic based engine oil which is formulated with advanced additive technology to meet the lubrication needs passenger vehicles or light commercial vehicles with LPG engines. Its special formula with high base oils and advanced provides fuel technology reduces wear and economy.

CHARACTERISTICS

- It provides easy first start even at low temperatures.
- Its high thermal and oxidation stability maintains its performance until the next oil change.
- It maintains lubrication even under extreme operating conditions due to its durable oil film strenght.
- Its high viscosity index provides superior engine performance for all-season.

APPLICATIONS

 It is suitable to use in new and modern technology passenger vehicles and light commercial vehicles with LPG engines.

PERFORMANCES

- ACEA A5/B5,A1/B1
- API SL/CF

OPET.TBF. 0207/Rev.02/09.08.2019



1/2

opetfuchs.com.tr

Phone: +90 216 522 69 00



TYPICAL PROPERTIES

Density@15°C, g/ml	ASTM D 4052	0,856
Viscosity@ 40°C, mm²/s	ASTM D 445	60,9
Viscosity@100°C, mm²/s	ASTM D 445	10,1
Viscosity Index	ASTM D 2270	155
Flash Point, °C	ASTM D 92	234
Pour Point, °C	ASTM D 97	-42
TBN, mgKOH/g	ASTM D 2896	8,6

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with used oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers spesifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.

