

Fullmaster 10W-40

Effective Protection for Longer Engine Life

PRODUCT DESCRIPTION

Fullmaster 10W-40, is a synthetic based engine oil which is developed to meet high performance requirements of heavy commercial vehicles. Its special formulation resists corrosion and rust formation even high sulphur fuel is used, thus it protects engine and keeps engine clean.

CHARACTERISTICS

- Its special formula protects the engine against corrosion and rust even high sulphur fuel is used.
- Its advanced additive system keeps engine parts clean by controlling formation of deposit and sludge.
- Its excellent fluidity during cold weather protects the engine against wear by providing quick lubrication of engine parts during the first start.

APPLICATIONS

- It is suitable to use in diesel engines of heavy commercial vehicles.

PERFORMANCES

- ACEA E7
- API CI-4 / SL
- CAT ECF-2
- CUMMINS CES 20076/77/78
- DEUTZ DQC III
- JASO DHD-1
- MACK EO-M Plus-EO-N
- MAN M 3275
- MTU TYPE 2
- RENAULT RLD/RLD-2

APPROVALS

- MB-APPROVAL 228.3
- VOLVO VDS-3

TYPICAL PROPERTIES

Density@15°C, g/ml	ASTM D 4052	0,874
Viscosity@ 40°C, mm ² /s	ASTM D 445	99,3
Viscosity@100°C, mm ² /s	ASTM D 445	14,6
Viscosity Index	ASTM D 2270	152
Flash Point, °C	ASTM D 92	221
Pour Point, °C	ASTM D 97	-42
TBN, mgKOH/g	ASTM D 2896	10,9

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with waste oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers specifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.