

technical data sheet

Fullmax Diesel 10W-40

Synthetic Based Maximum Protection for Diesel Engines

PRODUCT DESCRIPTION

Fullmax Diesel 10W-40, is a synthetic based engine oil which is developed to meet lubrication requirements of diesel passenger vehicles and light commercial vehicles. It has been formulated with combination of high quality base oils and advanced additive to provide superior engine protection.

APPLICATIONS

• It is suitable to use in light commercial vehicles and diesel engines of passenger vehicles.

CHARACTERISTICS

- Its excellent fluidity during cold weather condition protects the engine against wear by providing quick lubrication of engine parts during the first start.
- Its active cleaning feature controls forming of sediment and sludge, so keeps the parts of engine clean.
- Its improved high and low temperature properties, protects engine parts in all kinds of weather and driving conditions

PERFORMANCES

- ACEA B4
- API CF
- MB-APPROVAL 229.1
- VW 505 00/501 01/500 00

TYPICAL PROPERTIES

Density@15°C, g/ml	ASTM D 4052	0,875
Viscosity@ 40°C, mm²/s	ASTM D 445	97,5
Viscosity@100°C, mm²/s	ASTM D 445	14,4
Viscosity Index	ASTM D 2270	153
Flash Point, °C	ASTM D 92	229
Pour Point, °C	ASTM D 97	-33
TBN, mgKOH/g	ASTM D 2896	10,4

OPET.TDS.0105/Rev.12/26.02.2018



1/2



technical data sheet

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with waste oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers spesifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs MadeniYağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.



OPET.TDS.0105/Rev.12/26.02.2018

opetfuchs.com.tr