

Fullmax LPG 5W-40

Maximum Protection with Synthetic Technology for LPG Vehicles

PRODUCT DESCRIPTION

Fullmax LPG 5W-40, is a synthetic engine oil which provides superior protection in new and modern technology engines with LPG even under extreme operating conditions. its special formula with high quality base oils and advanced additive technology reduces wear and provides fuel economy.

CHARACTERISTICS

- Its high thermal and oxidation stability maintains its performance during the long oil drain interval recommended by the manufacturers.
- Its active cleaning feature keeps engine parts clean.
- Its excellent fluidity during cold weather conditions provides quick lubrication of engine parts during the first start up, so protects the engine against wear.
- Its high viscosity index provides superior performance under variable weather conditions.

APPLICATIONS

- It is suitable to use in new and modern technology passenger vehicles and light commercial vehicles with LPG engines.

PERFORMANCES

- ACEA A3/B4
- API SN

TYPICAL PROPERTIES

Density@15°C, g/ml	ASTM D 4052	0,853
Viscosity@ 40°C, mm ² /s	ASTM D 445	85,2
Viscosity@100°C, mm ² /s	ASTM D 445	14,2
Viscosity Index	ASTM D 2270	173
Flash Point, °C	ASTM D 92	228
Pour Point, °C	ASTM D 97	-45

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with used oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers specifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.